

ANCHOR FLUID POWER**Mailing Address:**

5553 Murray Road,
Cincinnati, OH 45227

Phone: 866.FLANGES

Fax: 513.527.4449

E-Mail: sales@anchorfluidpower.com

Website: www.anchorfluidpow.wpengine.com

ANCHOR FLUID POWER®

AN ANCHOR FLANGE COMPANY

Item # 302-20-20, 1-1/4 Inch (in) Flange Size SAE Thread to Flange Head - Straight

Suction to 400psi.

Buna seals standard / Fluorocarbon (FKM) optional.

Carbon steel natural finish.

90 & 45 SAE thread with adjustable nut.


Material certificates available upon request.

SAE threads manufactured to J1926.

List Price

—

Quote



Specifications

Material	Carbon Steel
Code	Code 61
Mounting Kit	No Yes
Metric Mounting Holes	No Yes
Stainless Steel Material	No Yes
Line Size	1.25
Flange Size	1-1/4 in
Dimension A	3.13 in
Dimension B	2.00 in
Dimension C	2.41 in
Dimension D	1 5/8-12 in
Inside Diameter (ID)	1.08 in
Ball Valve	LV2BS#20-2T-MH
Split Flange	20SFO

Additional Information

Additional Information	-24 through -64 uses adjustable spanner. Optional ball valve and split flange sold separately. 302 Series silver trivalent plated.
------------------------	--

