





QUICK REFERENCE PRODUCT GUIDE

HYDRAULIC AND PNEUMATIC FITTINGS AND ADAPTERS



QUICK GUIDE INDEX

1	PARTS NOMENCLATURE / GLOSSARY OF DESCRIPTIONS
2-3	O-RING FACE SEAL FITTINGS
3-6	TUBE FITTINGS & ADAPTERS
7-8	HYDRAULIC FLANGES / ACCESSORIES
8	FLARELESS BITE TYPE FITTINGS
9	INSTRUMENTATION
10-11	CONVERSION ADAPTERS
11-12	METRIC BITE TYPE
13	FLARE-O
14-15	PUSH-TO-CONNECT
15	TEST POINTS
15	SPECIALS

THREAD CHARTS • JIC – SAE • METRIC/INTERNATIONAL

DASH SIZE	2	3	4	5	6	7	8	10	12	14	16	20	24	32	40	48
Tube O.D.	1/8	3/16	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1 ¼	1 ½	2	2 ½	3
Hose I.D.	1/8	3/16	1/4	5/16	3/8		1/2	5/8	3/4	7/8	1	1 ¼	1 ½	2	2 ½	3
JIC 37-Flare Thread	5/16-24	3/8-24	7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 ½-12	1 ¾-12	1 ⅝-12	1 ⅞-12	1 ⅞-12	2 ½-12	3-12	3 ½-12
SAE O-Ring Thread	5/16-24	3/8-24	7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 ½-12	1 ¾-12	1 ⅝-12	1 ⅞-12	1 ⅞-12	2 ½-12		
NPTF Pipe Thread	1/8-27		1/4-18		3/8-18		1/2-14		3/4-14		1-11 ½	1 ¼-11 ½	1 ½-11 ½	2-11 ½	2 ½-8	3-8
NPSM Swivel Thread	1/8-27		1/4-18		3/8-18		1/2-14		3/4-14		1-11 ½	1 ¼-11 ½	1 ½-11 ½	2-11 ½		
Face Seal Thread			9/16-18		11/16-16		13/16-16	1-14	1 ¾-12	1 ⅝-12	1 ⅞-12	1 ⅞-12	2-12	2 ½-12		
Code 61 Flange Head O.D.							1.19		1.50		1.75	2.00	2.38	2.81	3.31	4.00
Code 62 Flange Head O.D.							1.25		1.62		1.88	2.12	2.50	3.12		
British Thread BSPP/BSPT	1/8-28		1/4-19		3/8-19		1/2-14		3/4-14		1-11	1 ¼-11	1 ½-11			
Brake Thread			7/16-24		17/32-24		11/16-20	13/16-18	1-18							
SAE 45-Flare Thread	5/16-24	3/8-24	7/16-20	1/2-20	5/8-18	11/16-24	3/4-16	7/8-14	1 ½-14							
Inverted Flare Thread	5/16-28	3/8-24	7/16-24	1/2-20	5/8-18	11/16-18	3/4-18	7/8-18	1 ½-16							
Compression Thread	5/16-24	3/8-24	7/16-20	1/2-20	9/16-18		3/4-16	7/8-14	1 ½-12	1 ¾-12	1 ⅝-12	1 ⅞-12	1 ⅞-12	2 ½-12		
METRIC THREAD	10	12	14	16	18	20	22	24	26	27	30	33	36	42	48	
	M 10x1.0	M 12x1.5	M 14x1.5	M 16x1.5	M 18x1.5	M 20x1.5	M 22x1.5	M 24x1.5	M 26x1.5	M 27x2.0	M 30x2.0	M 33x2.0	M 36x2.0	M 42x2.0	M 48x2.0	

PARTS NOMENCLATURE

Brennan Industries, Inc.'s hydraulic tube fitting and adapter part numbers are constructed from symbols that identify the series, size, material and type of product. When ordering part numbers, begin by listing the series followed by the size and the material suffix. Sizes are measured in sixteenths of an inch (example: 4/16 or 4). The standard product is produced in steel and requires no material suffix. If ordering stainless steel products, add the suffix SS, and if you are ordering brass products, add the suffix B. Metric Bite Type Fittings are called out by tube size (in millimeters) i.e. 20mm Tube (S20), while Metric Port Fittings are called out by Thread O.D. and Thread Pitch (in millimeters) i.e. 30x2.0 or 30x1.5. BSPP fittings, while different from U.S. threads are still measured fractionally and are therefore called out by sixteenths of an inch.

2501-08-08-SS

This is a 2501 Series with a 1/2" male JIC tube and a 1/2" male pipe thread. The part number also indicates that the product is made of stainless steel.

2501-12-08-FG

This is a 2501 Series with a 3/4" male JIC tube and a 1/2" male pipe thread. The part number also indicates that the product was produced as a forged one-piece construction, steel adapter.

2501-04-04-B

This is a 2501 Series with a 1/4" male JIC tube and a 1/4" male pipe thread. The part number also indicates that the product is made of brass.

GLOSSARY OF DESCRIPTIONS

AORB: Adjustable O-ring Boss (NWO)

B: Brass

BHLN: Bulk Head Lock Nut

BSPP: British Standard Pipe Parallel (G Thread)

BSPPS: British Standard Pipe Parallel Swivel

BSPT: British Standard Pipe Taper (R Thread)

BT: Bite Type

BT: Bored Through Connector in Double Ferrule Series

BTS: Bite Type Swivel

BULN: Back-up Lock Nut (NWO)

BW: Butt Weld

C: (before number) Bite Type

C: (after number) Cap

COR: Captive O-Ring (Style DIN 3852, Form E)

C HEX: Width Across the Wrench

D: Aluminum

DKO: 24° Sealing Cone (Female Swivel) with O-Ring

E: Extra Light (Metric Fittings)

F: (before number) Flare-O

FBSPP: Female British Standard Pipe Parallel

FBSPT: Female British Standard Pipe Tapered

FBSPPS: Female British Standard Pipe Parallel Swivel

FFS: Female Face Seal

FFSS: Female Face Seal Swivel

FG: Forged Flats of the Hex

FIF: Female Inverted Flare

FJ: Female J.I.C.

FJIS: Female J.I.S.

FJS: Female J.I.C. Swivel

FK: Female Komatsu

FMS: Female Metric Swivel

FO: Flare-O

FORB: Female O-ring Boss

FP: Female Pipe

FPS: Female Pipe Swivel

FS: Face Seal

FSAES: Female SAE Swivel, 45° Seat

H: Hollow Hex O-ring Plug

HB: Hose Barb

HP: Hollow Hex Pipe Plug

I.D.: Inside Dimension

JIC: Joint Industrial Council, 37° Flare

JIS: Japanese Industrial Standard, 30° Flare

L: Light (7005-04-L06-12)

L: Long (6400-L-20-20-O)

LGTH: Length

LH: Large Hex

LL: Extra Long Drop

LLL: Extra Extra Long

LLLL: Extra Extra Extra Long

MAORB: Male Adjustable O-ring Boss (NWO)

MBT: Metric Bite Type

MBSPP: Male British Standard Pipe Parallel

MBSPPADJ: Male British Standard Pipe Parallel Adjustable

MBSPPAORB: Male British Standard Pipe Parallel Adjustable O-ring Boss

MBSPT: Male British Standard Pipe Tapered

MFS: Male Face Seal

MIFS: Male Inverted Flare Swivel

MJ: Male J.I.C.

MJIS: Male J.I.S.

MKOM: Male Komatsu

M.M.: Millimeters

MM: Male Metric

MMADJ: Male Metric Adjustable

MMAORB: Male Metric Adjustable O-ring Boss use with ISO 6149

MMORR: Male Metric O-Ring and Retaining Ring

MORB: Male O-ring Boss

MP: Male Pipe

MS: Metric Swivel

N: Used as prefix for Instrumentation fittings series (N2404-04-04-SS)

N: Extended Length (5404-N-02x0.750)

N: Locknut for NWO Assembly (0306-N-03)

NBR: Assembled with Nut and Bite Ring

NPSM: American (formerly National) Pipe Straight Mechanical

NPTF: American (formerly National) Pipe Taper Fuel

NWO: Nut Washer O-ring (MAORB)

O: O-Ring

O.D.: Outside Dimension

ORB: O-Ring Boss

PC DOT: SAE DOT Push to Connect Fittings for Vehicle Applications

PCNY: Push to Connect Nylon Fittings

PCNB: Push to Connect Nickel-Plated Brass Fittings

PL: Push Lock

PLATE MAX: Recommended Maximum Plate Thickness After Assembling the Bulkhead with the 306 Locknut, 318 Nut & 319 Sleeve

P: Plug

S: Heavy (7005-04-S06-14)

S: Steel

SAE: Society of Automotive Engineering

SHP: Square Head Plug

SS: Stainless Steel


TS: Tube Spud

V: Versa Flare

Y FLATS: Width Across the Wrench Flats


O-RING FACE SEAL FITTINGS

(520112)



FS0304-C
Cap Assembly Insert

(520118)



FS0306
Bulkhead Lock Nut

(520110)




FS0318
Nut

(520115)




FS0319
Sleeve


(520104)



FS0403
Bore-MFS Straight




FS0403-TS
Face Seal Spud




FS0406
Bore-FS Bulkhead


(520118)




FS1700 MFS-Flange
Straight Code 61




FS1703 MFS-Flange 45°
Code 61




FS1704 MFS-Flange 90°
Code 61




FS1800 MFS-Flange
Straight Code 62




FS1803 MFS-Flange 45°
Code 62




FS1804 MFS-Flange 90°
Code 62




FS1805 MFS-MFS-
Flange Tee Code 62



FS1806 MFS-Flange
Tee Code 62-MFS




FS2403
MFS-MFS Straight



FS2404
MFS-MP Straight




FS2405
MFS-FP Straight




FS2406 FFS-MFS
Tube End Reducer




FS2408
MFS Plug




FS2500
MFS-MFS 90°




FS2501
MFS-MP 90°




FS2503
MFS-MP 45°




FS2601
MFS-MFS-MP Tee




FS2603
MFS-MFS-MFS Tee




FS2605
MFS-MP-MFS Tee




FS2650 MFS-MFS-MFS-
MFS Cross




FS2700* MFS-MFS-
Bulkhead Union




FS2701* MFS-MFS
Bulkhead 90°




FS2702* MFS-MFS
Bulkhead 45°




FS2703* MFS-MFS-MFS
Bulkhead Tee




FS2704* MFS-MFS-MFS
Bulkhead Tee




FS2764 FS Bulkhead-
MORB Straight




FS4000
Buna O-Ring




FS4001
Viton O-Ring




FS6001
Silver Braze Ring




FS6400-O
MFS-MORB Straight



FS6400-L-O MFS-MORB
Straight Long




FS6402
MFS-FJS Straight



FS6403
MFS-MJ Straight




FS6410
FORB-MFS




FS6500
MFS-FFSS 90°




FS6502
MFS-FFSS 45°




FS6503
FP-FFSS 90°




FS6504
FFSS-MJ Straight




FS6505
MP-FFSS Straight




FS6540
FFSS-MORB Straight




FS6564
MFS FFSS-FORB Tee




FS6565
FFSS-FFSS -Straight




FS6600 MFS-MFS-FFSS
Branch Tee




FS6602 MFS-FFSS-MFS
Run Tee




FS6801-NWO
MFS-MAORB 90°



FS6801-L-NWO MFS-
MAORB 90° Long



FS6801-LL-NWO MFS-
MAORB 90° X-Long













FS6802-NWO
MFS-MAORB 45°

























FS6803-NWO
MFS-MFS-MAORB Tee

O-RING FACE SEAL FITTINGS CONTINUED






























(520428)  FS6804-NWO MFS-MAORB-MFS Tee	(520281)  FS6809-NWO FFSS-MAORB 90°	 FS7202-NWO MFS-MBSPP 90°	 FS7205-NWO MMAORB 90° Elbow	 FS7210-NWO MFS-MFS-MMAORB Tee
 FS7215-NWO MFS-MMAORB-MFS Tee	 FS7300-NWO MFS-MMAORB 45° Elbow	 FS7640-0 MFS-MMORB ISO 614	 FS7701 MFS-MM STRAIGHT WITH CAPTIVE SEAL	 FS7709 MFS-MBSPP STRAIGHT WITH CAPTIVE SEAL

 * Insert "-LN" in part number to include lock nut when ordering bulkhead fittings.
Example: FS2700-LN-04-04.

TUBE FITTINGS & ADAPTERS


 0302 Short Nut	(070111)  0304 Standard Nut	(070112)  0304-C JIC Cap Nut	(070118/MS #51860)  0306 BHLN	(070117)  0306-N BULN	(070110)  0318 JIC Tube Nut	(070115)  0319 JIC Tube Sleeve
 0403 Bore-MJ Straight	 0403-TS MJ Tube Spud	 0404 Bore-MP Straight	 0405 Bore-FP Straight	 0406 BORE-MJ Bulkhead Straight	 0500 Bore-MJ 90°	 0501 Bore-MP 90°
 0600 Bore-Bore-MJ Tee	 0601 Bore-Bore-MP Tee	 0602 Bore-Bore-FP	 0702 Bore-MJ-MJ Tee	 0800 Bore-FPS Straight	 0801 Bore-FPS 90°	 0900 Bore-FJS Straight
 0954 HB-MP 90° Elbow	 0954-L HB-MP 90° Elbow Long	(140130)  1404 MP-FPS Straight	(140131)  1405 FP-FPS Straight	(140230)  1501 MP-FPS 90°	 1501-L MP-FPS 90° Long	(140231)  1502 FP-FPS 90°
(140330)  1503 MP-FPS 45°	(140331)  1504 FP-FPS 45°	 1601 MP-FPS-FPS Tee	 1602 FP-FPS-FPS Tee	 1603 FPS-FPS-FPS Tee	 1604 MP-FPS-FPS-FPS Cross	(PL = Push Lock) Brass  2111 PL-FJS Straight

TUBE FITTINGS & ADAPTERS CONTINUED

BRASS  2112 PL-FSAES Straight	BRASS  2113 PL-MP Straight	BRASS  2114 PL-FIF Straight	BRASS  2115 PL-MIFS Straight	BRASS  2116 PL-MSAE Straight	BRASS  2117 PL-Stem Straight	BRASS  2118 PL-PL Straight
BRASS  2119 PL-FP Straight	BRASS  2120 PL-MP 90° Elbow	(070101/MS#51501)  2403 MJ-MJ Straight	(070119/MS#51519)  2403-LH MJ-MJ Straight Large Hex	(070102/MS#51500)  2404 MJ-MJ Straight	 2404-L MJ-MP Straight Long	 2404-LL MJ-MP Straight X-Long
(070103/MS#51503)  2405 MJ-FP Straight	 2406 FJ-MJ Straight Reducer	(070109/MS#51518)  2408 MJ Plug	(070201/MS#51505)  2500 MJ-MJ 90°	(070202/MS#51504)  2501 MJ-MP 90°	(071502)  2501-L MJ-MP 90° Long	(071602)  2501-LL MJ-MP 90° X-Long
 2501-LLL MJ-MP 90° XX-Long	(070203/MS#51506)  2502 MJ-FP 90°	(070302/MS#51508)  2503 MJ-MP 45°	 2504 MJ-MJ 45°	 2505 MJ-FP 45°	(0707425/MS#51512)  2601 MJ-MJ-MP Tee	(070427/MS#51513)  2602 MJ-MJ-FP Tee
(070401/MS#51510)  2603 MJ-MJ-MJ Tee	(070424/MS#51511)  2605 MJ-MP-MJ Tee	(070426/MS#51514)  2606 MJ-FP-MJ Tee	 2607 MJ-MP-MP Tee	 2608 MJ-FP-MP Tee	 2609 MJ-FP-FP Tee	 2610 MP-MP-MJ Tee
 2611 MJ-MP-FP Tee	 2612 FP-FP-MJ Tee	 2613 MP-FP-MJ Tee	(070501)  2650 MJ-MJ-MJ-MJ Cross	 2651 MJ-MP-MJ-MJ Cross	 2652 MJ-MJ-MJ-FP Cross	 2653 MJ-MJ-MP-MP Cross
 2654 MJ-MP-MJ-MP Cross	(070601/MS#51520)  2700 MJ-MJ Bulkhead Straight	(070701/MS#51507)  2701 MJ-MJ Bulkhead 90°	(070801/MS#51509)  2702 MJ-MJ Bulkhead 45°	(0707959/MS#51515)  2703 MJ-MJ-MJ Bulkhead Branch Tee	(070958/MS#51516)  2704 MJ-MJ-MJ Bulkhead Run Tee	 2705 FP-MJ Bulkhead Straight
 2706 MP-MJ Bulkhead Straight	 3051 MP-FP Low Profile 90°	 3474-NWO MAORB-ORB Straight	 3474-LLL-NWO MAORB-MORB XLNG	(J515 Type I CH/MS#28778)  4000 Buna O-Ring	(J515 Type I I I H K)  4001 Viton O-Ring	(430160)  4404 HB-MP Straight


TUBE FITTINGS & ADAPTERS CONTINUED

(431460)




4501
HB-MP 90°


(430360)




4503
HB-MP 45°



4504
HB-HB-HB Tee




4505
HB-MP-HB Tee




4506
HB-HB-MP Tee

(431492)




4601-NWO
HB-MAORB 90°

(430392)




4603-NWO
HB-MAORB 45°

(430192)




4604-0
HB-MORB Straight


(140138)



5000
FP-FP Straight




5304 MP-BW Weld-On
Fitting 304 Stainless




5316 MP-BW Weld-On
Fitting 316 Stainless

(140137)




5404
MP-MP Hex Nipple




5404-N MP-MP Straight
Nipple Long

(140139)



5405
MP-FP Straight Expander


(140140)



5406
MP-FP Reducer Bushing




5406-C
Pipe Cap




5406-HP
Hollow Hex Pipe Plug

(130109E)




5406-P
External Hex Pipe Plug

(130109A)




5406-SHP
Square Head Pipe Plug

(140237)




5500
MP-MP 90° Elbow




5501
MP-MP 45°

(140239)




5502
MP-FP 90° Street Elbow

(140339)




5503
MP-FP 45° Street Elbow

(140238)




5504
FP-FP 90° Elbow

(140338)




5505
FP-FP 45° Elbow

(140437)




5600
MP-MP-MP Tee

(140427)




5601
MP-MP-FP Tee

(140424)




5602
MP-FP-FP Street Tee

(140426)




5603
MP-FP-MP Tee

(140425)




5604
FP-FP-MP Branch Tee

(140438)




5605
FP-FP-FP Tee

(140537)




5650
MP-MP-MP-MP Cross

(140537)




5651
MP-MP-MP-FP Cross


(140538)




5652
FP-FP-FP-FP Cross




5653
MP-MP-FP-FP Cross




5655
MP-FP-FP-FP Cross



5700
MP-MPS 90°




5701
MJ-MPS 90°




5702
FP-MPS 90°



6000
Back-Up Washer




6316
FJS-Weld Straight




6400-0
MJ-MORB Straight


(071720/MS#51526)



6400-L-0
MJ-MORB Straight Long




6400-LL-0
MJ-MB-XX Long Hex




6401-0
MORB-MP Straight



6402-0
MORB-FJS Straight




6404
FORB-MP Straight




6405-0
MORB-FP Straight

(090109A)




6408-0
MORB External Hex Plug


(090109B)




6408-H-0
MORB Hollow Hex Plug




6410-0 MORB-FORB
Straight Reducer




6420
FORB-FP Straight



6425
FORB-FORB Straight




6464-0
MORB-MORB Straight




6464-L-0 MORB-MORB
Long Straight

(070221)




6500
MJ-FJS 90°

TUBE FITTINGS & ADAPTERS CONTINUED




6500-L
MJ-FJS 90° Long




6501
MP-FJS 90°


(070321/MS#51522)




6502
MJ-FJS 45°




6503
FP-FJS 90°




6504
MJ-FJS Straight




6505
MP-FJS Straight




6506
FP-FJS Straight




6507
FP-FJS 45°




6564 Test Point
MJ-FJS Straight w/04
FORB In HEX




6565
FJS-FJS Straight




6574 Test Point
MJ-FJS Straight w/04 FP
In HEX




6600
MJ-FJ-FJS Tee




6602
MJ-FJS-MJ Tee




6603
FJS-FJS-MJ Tee




6604
FJS-FJS-MP Tee




6605
FJS-FJS-FP Tee




6606
FJS-FJS-FJS Tee



6660
FORB-FORB-FORB Tee




6701
MJ-FJS Swept 90°



6701-L MJ-FJS
Swept 90° Long


(070220/MS#51527)




6801-NWO
MJ-MAORB 90°




6801-L-NWO
MJ-MAORB 90° Long




6801-LL-NWO
MJ-MAORB 90° X-Long




6801-LLL-NWO
MJ-MAORB 90° XX-Long




6802-NWO
MJ-MAORB 45°




6803-NWO MJ-MJ-
MAORB Branch Tee




6804-NWO
MJ-MAORB-MJ Run Tee




6804-L-NWO MJ-
MAORB-MJ Long Tee




6805-NWO
MAORB-FP 90°




6805-L-NWO
MAORB-FP 90° Long




6806-NWO
MAORB-MP 90°




6807-NWO
MAORB-MAORB 90°




6807-LL-NWO MAORB-
MAORB 90° X-Long




6808-NWO
MAORB-MAORB 45°




6809-NWO
MAORB-FJS 90°




6810-NWO
MAORB-FJS 45°




6815-NWO
MAORB-FORB 90°




6818-NWO
FORB-MAORB 45°




6820-NWO
FORB-MAORB-MJ Tee




6832-NWO FORB-FORB-
MAORB Tee




6835-NWO MAORB
FORB-FORB Tee




6840-NWO MAORB-
MAORB-MJ Tee




6850-NWO MJ-MJ-
MAORB-MJ Cross




6900-O
MORB-FPS Straight



6901-NWO
MAORB-FPS 90°



6902-NWO
MAORB-FPS 45°



6911-NWO
FPS-FPS-MAORB Tee










































V0318
JIC-Flareless Nut



V0319
JIC-Flareless Sleeve

HYDRAULIC FLANGES / ACCESSORIES

 1700 MJ-Flange Straight Code 61	 1703 MJ-Flange 45° Code 61	 1704 MJ-Flange 90° Code 61	 1710 MB-Flange Straight Code 61	 1800 MJ-Flange Straight Code 62	 1803 MJ-Flange 45° Code 62	 1804 MJ-Flange 90° Code 62
 1810 MB-Flange Straight Code 62	 1703FG MJ-Flange 45° Code 61	 1704FG MJ-Flange 90° Code 61	 1724 Flange Plug Code 61	 1803FG MJ-Flange 45° Code 62	 1804FG MJ-Flange 90° Code 62	 1824 Flange Plug Code 62
 FS1700 MFS-Flange Straight Code 61	 FS1703FG MFS-Flange 45° Code 61	 FS1704FG MFS-Flange 90° Code 61	 FS1800 MFS-Flange Straight Code 62	 FS1803FG MFS-Flange 45° Code 62	 FS1804FG MFS-Flange 90° Code 62	 1900-61 Hex Head Mounting Kit
 1900-62 Hex Head Mounting Kit	 1900-M Hex Head Mounting Kit Metric	 1901 Split Flange Kit Code 61	 1901-M Split-Flange Kit Code 61 (Metric Bolt Holes)	 1902 Split Flange Kit Code 62	 1902-M Split-Flange Kit Code 62 (Metric Bolt Holes)	 1903/1904-61 Captive Flange
 1903/1904-62 Captive Flange	 1914-61 Connector Plate	 1914-62 Connector Plate	 1927/1928-61 NPTF Port Block	 1927/1928-62 NPTF Port Block	 1929/1930-61 SAE Port Block	 1929/1930-62 SAE Port Block
 1933/1934 Flat Socket Block - Pipe 500 psi	 1935/1936-61 Flat Socket Block - Pipe	 1935/1936-62 Flat Socket Block - Pipe	 1937/1938-61 Flat Socket Block - Tube	 1937/1938-62 Flat Socket Block - Tube	 1940-61 Gauge Port Spacer	 1940-62 Gauge Port Spacer
 1942/1943-61 Plug Block	 1942/1943-62 Plug Block	 1951-61 Split Flange	 1951-H Flange Half	 1952-62 Split Flange	 1952-H Flange Half	 1959-P Saddle Connector
 1965-61 SAE Elbow	 1965-62 SAE Elbow	 1967-61 NPTF Elbow	 1967-62 NPTF Elbow	 1979-61 Shipping Plate	 1979-62 Shipping Plate	 1990-61 Socket Head Mounting Kit

HYDRAULIC FLANGES / ACCESSORIES CONTINUED



1990-62
Socket Head
Mounting Kit



1990-M
Socket Head Mounting
Kit Metric



3300/3301-61 Tube
Braze Flange Head
Connector



3300/3301-62 Tube
Braze Flange Head
Connector



4005
Flange O-Ring

ADDITIONAL AVAILABLE PRODUCTS

1910, CODES 61 & 62 Tube Weld Socket Flange Connector
1911, CODES 61 & 62 Pipe Weld Socket Flange Connector
1912-O, CODE 61 SAE Flange Connector
1912-P, CODE 61 NPTF Flange Connector
1915, 1917 & 1919, CODES 61 & 62 Butt Weld Connector-
 Various Pipe Schedules

FLARELESS BITE TYPE FITTINGS

(080112/MS#51590)




C0304-C
Cap Nut

(080110/MS#51823)




C0318
Nut

(080115A/MS#51825A)




C0319
Ferrule



C2402
BT-MJ Straight

(080101/MS#51814)




C2403
BT-BT Tube Union Straight

(080119/MS#51856)




C2403-LH
BT-BT Tube Union Large
Hex Straight

(080102/MS#51819)




C2404
BT-MP Adapter Straight

(080103)



C2405
BT-FP Adapter Straight

(080109)




C2406
Tube-BT Reducer

(080109)




C2408
Plug

(080201/MS#51820)



C2500
BT-BT Elbow 90°

(080202/MS#51815)



C2501
BT-MP Elbow 90°

(081502)




C2501-L
BT-MP Elbow 90° Long

(081602)




C2501-LL
BT-MP Elbow 90° X-Long

(080203/MS#51813)



C2502
BT-FP Elbow 90°

(080302/MS#51817)



C2503
BT-MP Elbow 45°

(080425/MS#51815)




C2504
BT-BT Elbow 45°

(080425/MS#51815)



C2601
BT-BT-MP Tee

(080427/MS#51821)



C2602
BT-BT-FP Tee

(080401/MS#51811)




C2603
BT-BT-BT Tee

(080424/MS#51824)



C2605
BT-MP-BT Tee

(080426/MS#51822)




C2606
BT-FP-BT Tee

(080501/MS#51894)




C2650
BT-BT-BT-BT Cross

(080701/MS#51855)




C2700
BT-BT Bulkhead Union

(080701/MS#51855)




C2701
BT-BT Bulkhead Union 90°

(08081)




C2702
BT-BT Bulkhead Union 45°

(080959)



C2703 BT-BT-BT
Bulkhead Branch Tee

(080958)




C2704
BT-BT-BT Bulkhead Tee



C2705
FP-BT Bulkhead




C2706
MP-BT Bulkhead



C2707
MJ-BT Bulkhead




C6400-O
BT-MORB Straight




C6400-L-O
BT-MORB Long Straight

(080221/MS#51852)




C6500
BT-BTS 90° Elbow

(080321)




C6502
BT-BTS 45° Elbow

(080433/MS#51853)



C6600
BT-BT-BTS Tee

(0808432/MS#51854)




C6602
BT-BTS-BT Tee

(080220/MS#51839)




C6801-NWO
BT-MAORB 90°

(080320/MS#51842)




C6802-NWO
BT-MAORB 45°

(080429/MS#51841)













































C6803-NWO
BT-BT-MAORB Tee

(080428/MS#51892)



C6804-NWO
BT-MAORB-BT Tee

INSTRUMENTATION

					
N0304 Plug	N0318 Nut	N0319-B Back Ferrule	N0319-F Front Ferrule	N0319-S Ferrule Set	N2402 Male JIC Connector
					
N2403 Union	N2403 Reducing Union	N2404 Male Connector*	N2405 Female Connector	N2406 Reducer	N2408 Cap
					
N2425 Butt Weld Male Connector	N2426 Socket Weld Male Connector	N2427 Male JIC Adapter	N2428 Male Adapter	N2429 O-Seal Male Adapter	N2430 Female Adapter
					
N2431 Female Gauge Adapter	N2440 Port Connector	N2440 Reducing Port Connector	N2500 Union Elbow	N2501 Male Elbow	N2502 Female Elbow
					
N2503 45° Male Elbow	N2525 Butt Weld Male Elbow	N2526 Socket Weld Male Elbow	N2601 Male Branch Tee	N2602 Female Branch Tee	N2603 Union Tee
					
N2603 Reducing Union Tee	N2605 Male Run Tee	N2606 Female Run Tee	N2650 Cross	N2700-LN Bulkhead Union	N2700-LN Bulkhead Reducing Union
					
N2701-LN Bulkhead Union Elbow	N2705-LN Bulkhead Female Connector	N2706-LN Bulkhead Male Connector	N2707-LN Bulkhead Male JIC	N2709-LN Bulkhead Reducer	N6400 O Seal Male Connector
					
N6801 90° Positionable Elbow	N6802 45° Positionable Male Elbow	N6803 Positionable Male Branch Tee	N6804 Positionable Male Run Tee	N7002 BSPP Male Connector	*Bored Through Male Connectors for Thermocouples are available. Example: N2404-04-04-BT-SS.



**LEARN EVERYTHING YOU NEED TO KNOW
ABOUT FITTINGS, ADAPTERS AND
THE INDUSTRIES USING THEM.**



FITTINGS 101
BEGIN LEARNING TODAY



INDUSTRY
LEARN ABOUT THE IND



BRENNAN

UNIVERSITY


BRENNANINC.COM/BRENNAN-UNIVERSITY

INSIGHTS
INDUSTRIES WE SUPPORT




RESOURCES
BROWSE OUR LITERATURE


CONVERSION ADAPTERS




7000
MJ-MBSPT




7001
MJ-MMORR




7002
MJ-MBSPP




7003
MJ-FBSPP




7004
MJ-FBSPPS




7005
MJ-MM Metric Port




7005-L MJ-MM
Light Metric (Dual)




7005-S MJ-MM
Heavy Metric (Dual)




7007
MJ-FMS Metric




7007-L
MJ-JIC-MET-FEM-Light




7007-S
MJ-JIC-MET-FEM-Heavy




7008
MJ-MJIS Union




7008-F
MJ-FJIS*



7009
Komatsu MJ-MK Union



7009-F
Komatsu MJ-FK*




7022
FJS-MBSPP




7023
FJS-FBSPPS




7025
FJS-MM Metric




7030
MP-MBSPT Nipple




7032
MP-MBSPP




7033
MP-FBSPP




7034
MP-FBSPPS




7040
FP-MBSPT




7042
FP-MBSPP




7045
FP-MM Metric




7062
MORB-MBSPP




7100
MJ-MBSPT 45° Elbow




7102-NW0
MJ-MBSPPADJ 45°




7200
MJ-MBSPT 90° Elbow




7202-NW0
MJ-MBSPPADJ 90°




7204
MJ-MBSPPADJ 90°



7205-NW0
MJ-MMADJ 90° Elbow




7220
FJS-MBSPT 90° Elbow



7222
FJS-MBSPP 90° Elbow



7588-P
MJIS Plug




7599-P
Komatsu MK Plug




7688-C
FJIS Cap




7699-C
Komatsu FK Cap




8055
Metric MM-MM Nipple




8080
MJIS-MBSPT




8088
MJIS-MJIS Union



8180
MJIS-MBSPT 45° Elbow



8280
MJIS-MBSPT 90° Elbow




8555-H Metric MM Hollow
Hex Plug




8555-P
Metric Plug




8800
Metric Bonded Seal




9000
MBSPT-MBSPT Nipple




9001
MBSPT-FBSPT Bushing




9002
MBSPT 90° Elbow



9020
MBSPP-MBSPT Straight




9022
MBSPP-MBSPP Nipple




9023 MBSPP-FBSPP
w/60° Seat




9024
MBSPP-FBSPPS



9025 Metric MBSPP-MM
Nipple




9033
FBSPP-FBSPP Coupling




9124 MBSPP-FBSPPS
Swept 45°


CONVERSION ADAPTERS CONTINUED




9222
MBSP 90°




9224
MBSP-FBSPPS 90°



9224-L
MBSP-FBSPPS 90° Long



9322
MBSP-MBSP-MBSP



9344 FBSP-FBSP-FBSP Tee



9500-P
BSPT Plug




9522-H
MBSP Hollow Hex Plug



9522-P
MBSP Hollow Hex Plug



9644-C
FBSP Cap



9722-LN MBSP-MBSP Bulkhead/LOCKNUT



9900
British Bonded Seal



9925
BSPP-Locknut



*Swivel style available upon request. Also available 9621-NWO MBSP60° - MBSPPAORR 90° Adj. Elbow.

METRIC BITE TYPE




D8000
Reinforcing Sleeve



D8002
Met. Bulkhead Lock Nut



D8003
Blanking Cap-DKO



D8004
Tube End Plug



D8005
Single Bite Ring



D8006
Double Bite Ring




D8007
DiNova Bite Ring



D8008
Tube Nut




D8009 37°/24° Metric Flare Insert




D8010
37° Metric Flare Sleeve



D8011
37° Metric Flare Nut




D8020 MPT-FBSP (Rigid) Gauge Coupling Body Only




D8020-NBR MBT-FBSP (Rigid) Gauge Coupling




D8021 FMS-FBSP (Rigid) Gauge Coupling




D8030-NBR
MBT-MM Form B




D8031-MBT-MMCOR
Straight Body Only



D8031-O-NBR
MBT-MMCOR Straight




D8032-MBT-MMISO
6149 Body Only




D8032-O-NBR
MBT-MMISO 6149




D8033-NBR
MBT-Met. Taper Strt.



D8034-NBR
MBT-F. Met. (Rigid)



D8036-O
FMS-MMCOR Straight




D8040 MBT-MBSP Form B




D8041 MBT-MBSPCOR Straight Body Only




D8041-O-NBR
MBT-MBSPCOR Strt.




D8043 MBT-MBSPT Straight Body Only




D8043-NBR
MBT-MBSPT Straight




D8044 MBT-FBSP (Rigid) Body Only




D8044-NBR
MBT-FBSP (Rigid)




D8045 MBT-MBSP Form E Male Stud Standpipe



D8046-O
FMS-MBSPCOR Strt.




D8050 MBT-MP Straight Body Only



D8050-NBR
MBT-MP Straight





















































D8051 MBT-MORB Straight Body Only




D8051-O-NBR
MBT-MORB Straight


METRIC BITE TYPE CONTINUED

						
D8060 MBT-MBT Straight Union Body Only	D8060-NBR MBT-MBT Straight Union	D8061-LN MBT-MBT Bulkhead Straight Body Only	D8061-LN-NBR MBT-MBT Bulkhead Strt.	D8062 FMS-MBT Straight Standpipe Reducer	D8062-NBR FMS-MBT Straight Standpipe Reducer	D8064 Met. Internal Coupling Nut
						
D8067 F, SWV CPLG-DKO	D8096 Straight Weld Nipple	D8097 MBT Butt Weld Straight	D8097-NBR MBT-Butt Weld Strt.	D8098-NBR MBT-Butt Weld Bulkhead	D8231-NWO-NBR MMORR 90° Adj. Elbow	D8232-NWO-NBR MMISO 6149 90° Adj. Elbow
						
D8233 MBT-Metric Taper 90° Elbow Body Only	D8233-NBR MBT-Met. Taper 90° Elbow	D8241-NWO-NBR MBSPORR 90° Adj. Elbow	D8243 MBT-MBSPT 90° Elbow Body Only	D8243-NBR MBT-MBSPT 90° Elbow	D8250 MBT-MP 90° Elbow Body Only	D8250-NBR MBT-MP 90° Elbow
						
D8251-NWO-NBR MAORB 90° Adj. Elbow	D8260 MBT-MBT Equal Elbow Body Only	D8260-NBR MBT-MBT Equal Elbow	D8261 MBT-MBT Bulkhead 90° Body Only	D8261-LN-NBR MBT-MBT Bulkhead 90°	D8263 MBT-FMS 90° Adj. Elbow Body Only	D8263-NBR MBT-FMS 90° Adj. Elbow
						
D8269 MBT-FMS Adj. 90-DKO Body Only	D8269-NBR MBT-FMS Adj. 90-DKO	D8290-NBR Met. Para- llel Low Press. Banjo	D8291-NBR BSPP Low Press Banjo Elbow	D8292-NBR Met. Parallel High Press. Banjo Elbow	D8293-NBR BSPP High Pressure Banjo Elbow	D8360 MBT-MBT-MBT Equal Tee Body Only
						
D8360-NBR MBT-MBT- MBT Equal Tee	D8433 MBT-MBT-MK BR. Tee Body Only	D8433-NBR MBT-MBT-MK BR. Tee	D8443 MBT-MBT-MBSPT BR. Tee Body Only	D8443-NBR MBT-MBT- MBSPT BR. Tee	D8463 MBT-MBT-FMS Adj. Branch Tee Body Only	D8463-NBR MBT-MBT- FMS Adj. Branch Tee
						
D8469 MBT-MBT-FMS Adj. BR. Tee-DKO Body Only	D8469-NBR MBT-MBT- FMS Adj. BR. Tee-DKO	D8533-NBR MBT-MK- MBT Run Tee	D8543 MBT-MBSPT-MBT Run Tee Body Only	D8543-NBR MBT- MBSPT-MBT Run Tee	D8563 MBT-FMS-MBT-Adj. Run Tee Body Only	D8563-NBR MBT-FMS- MBT Adj. Run Tee
				 Metric Bite Type Fittings are also available as body only by omitting the NBR suffix.		
D8569 MBT-FMS-MBT Adj. Run Tee Body Only	D8569-NBR MBT-FMS- MBT Adj. Run Tee	D8660 MBT Equal Cross Body Only	D8660-NBR MBT Equal Cross			


FLARE-O




F0403
Bore-FO Straight




F0500
Bore-FO




F0600
Bore-Bore-FO




F2403
FO-FO Straight



F2403-LH FO-FO
Straight Large Hex



F2404
FO-MP Straight



F2405
FO-FP Straight



F2406
FJ-FO Straight Reducer
Insert Only



F2406
FJ-FO Straight Reducer
Non-Swivel




F2406
FJ-FO Straight Reducer
Nut and Insert



F2408
FO Plug



F2500
FO-FO 90°



F2501
FO-MP 90°




F2501-L
FO-MP 90° Long




F2501-LL
FO-MP 90° X-Long




F2501-LLL
FO-MP 90° XX-Long




F2502
FO-FP 90°




F2503
FO-MP 45°




F2601
FO-FO-MP Tee




F2602
FO-FO-FP Tee




F2603
FO-FO-FO Tee




F2605
FO-MP-FO Tee



F2606
FO-FP-FO Tee



F2650
FO-FO-FO-FO Cross




F2700
FO-FO Bulkhead Straight




F2701
FO-FO Bulkhead 90°



F2702
FO-FO Bulkhead 45°



F2703
FO-FO-FO Bulkhead Tee



F2706 MP-FO
Bulkhead Straight




F4003
Flare-O Buna




F4004
Flare-O Viton




F6400-0
FO-MORB Straight




F6400-L-0
FO-MORB Straight




F6500
FO-FJS 90°




F6502
FO-FJS 45°




F6600
FO-FJS Tee




F6602
FO-FJS-FO Tee




F6801-NWO
FO-MAORB 90°




F6801-L-NWO
FO-MAORB 90° Long




F6801-LL-NWO
FO-MAORB 90° X-Long



F6802-NWO
FO-MAORB 45°




F6803-NWO
FO-FO-MAORB Tee




F6804-NWO
FO-MAORB-FO Tee

PUSH-TO-CONNECT


NYLON PUSH-TO-CONNECT FITTINGS FOR INDUSTRIAL APPLICATIONS - PCNY SERIES (METRIC - PCNYM)




2403 Union - Fractional Inch Tube To Tube




2403 Unequal Union - Fractional Inch Tube To Tube




2404 Male Connector - Fractional Inch Tube To Male NPT



2405 Straight Female Connector - Fractional Inch Tube To NPT




2406 Plug-in Reducer




2408 Plug




2428 Standpipe




2500 Union Elbow - Fractional Inch To Tube




2500 Unequal Union Elbow - Fractional Inch Tube To Tube




2501 Male Elbow - Fractional Inch Tube To Male NPT




2501-L Extended Male Elbow - Fractional Inch Tube To Male NPT




2502 Female Elbow - Fractional Inch Tube To NPT




2503 45° Male Elbow - Fractional Inch Tube To Male NPT or UNF




2601 Male Branch Tee - Fractional Inch Tube To Male NPT or UNF To Tube




2602 Female Branch Tee - Fractional Inch Tube To Male NPT




2603 Tee - Fractional Inch Tube To Tube To Tube




2603 Unequal Tee - Fractional Inch Tube To Tube To Tube




2605 Male Run Tee - Fractional Inch Tube To Tube To Male NPT or UNF




2650 Cross




2700 Bulkhead Union - Tube To Tube




2701 Equal Bulkhead Elbow - Tube To Tube



2705 Female Bulkhead Connector - Tube To NPT



2801 "Y" Male - Fractional Inch Tube To NPT



2803 "Y" - Fractional Inch Tube To Tube




2805 Banjo - Fractional Inch Tube To NPT




Brennan Tubing PC1094, 1/8", 1/4" and 3/8" sizes are stock in black or white in 100 ft. rolls.


NICKEL-PLATED BRASS PUSH-TO-CONNECT FITTINGS FOR INDUSTRIAL APPLICATIONS - PCNB SERIES (METRIC - PCNBM)




2403 Straight Union - Fractional Inch Tube To Tube



2404 Male Connector - Fractional Inch Tube To NPT




2405 Female Connector - Fractional Inch Tube To NPT




2406 Plug-in Reducer




2428 Standpipe




2500 Union Elbow - Fractional Inch Tube To Tube




2501 Male Elbow - Fractional Inch Tube To NPT




2601 Male Branch Tee - Fractional Inch Tube To NPT To Tube




2603 Tee - Fractional Inch Tube To Tube



2605 Male Run Tee - Fractional Inch Tube To Tube To NPT




2700 Bulkhead Connector - Fractional Inch Tube To Tube




6400 Male Connector - Fractional Inch Tube To UNF



6801 Male Elbow - Fractional Inch Tube To UNF



6803 Male Branch Tee - Fractional Inch Tube To UNF To Tube



6804 Male Run Tee - Fractional Inch Tube To Tube To UNF




Brennan Tubing PC1094, 1/8", 1/4" and 3/8" sizes are stock in black or white in 100 ft. rolls.


PUSH-TO-CONNECT

CONTINUED


SAE AND DOT PUSH-TO-CONNECT FITTINGS FOR VEHICLE APPLICATIONS - PCDT SERIES




2403 Union - Fractional Inch Tube To Tube



2404 Male Connector - Fractional Inch Tube To Male NPT



2405 Straight Female Connector - Fractional Inch Tube To NPT



2500 Union Elbow - Fractional Inch Tube To Tube



2501 Male Elbow - Fractional Inch Tube To Male NPT




2601 Male Branch Tee - Fractional Inch Tube To Male NPT




2603 Union Tee - Fractional Inch Tube To Tube




2605 Male Run Tee - Fractional Inch Tube To Male NPT



2700 Bulkhead Union - Fractional Inch



2801 "Y" Male Connector - Fractional Inch Tube To NPT



2803 Union "Y" - Fractional Inch Tube To Tube




Brennan Tubing PC1094, 1/8", 1/4" and 3/8" sizes are stock in black or white in 100 ft. rolls.

TEST POINTS



TEST HOSE
DTH Series



GAUGE ADAPTER
DGA Series



DIRECT GAUGE ADAPTER
DDG Series



PRESSURE GAUGE
DG Series



SINGLE GAUGE KIT
DGK-S



DOUBLE GAUGE KIT
DGK-D



TRIPLE GAUGE KIT
DGK-T



DP-2404
TPS-MNPT



DP-6400
TPS-MORB



DP-6504
TPS-FJS



DP-7002
TPS-MBSPT



DP-7002-P0
TPS-MMETRIC



DP-7005
TPS-MBSPP



Other test Points available: TPT-362 Series
MJ-FJS-FNPTF TPT-369 Series MJ-FJS-FORB

SPECIALS

If you have a design challenge that involves hydraulic fittings, Brennan will help. Chances are, we've already developed a fitting for a similar requirement. The solution could be as easy as modifying an existing fitting to meet your specific requirements. Or, we can start from scratch to develop a solution.

If your application calls for specials, we're the source that will meet your needs. Put the experience of the Brennan team to work for you.

brennaninc.com/specials

ABOUT BRENNAN

In 1953, Brennan Industries, Inc. was founded in Ohio *to answer the need of hydraulic systems customers who required reliable tube fitting and adapter products in a timely fashion.*

In the early years, only about 300 different connectors were being manufactured. Today, with *over 50,000 line items in inventory*, Brennan offers the most complete line of hydraulic tube fittings, adapters and related products available anywhere in the world.

Whether you need steel, stainless steel or brass standards or specials, *we have the fittings you need* on the shelf and in sizes ranging from 1/16" to 3". If you need something custom, our Engineered Solutions team can make it for you quickly.

Brennan products are stocked at strategically located, full-service distribution centers across North America, Europe and Asia.

Our global manufacturing and inspection processes assure that our customers, no matter where they may be located, will receive quality Brennan fittings *consistent* in fit, form, function, quality and performance.

As an ISO 9001: 2000 certified company, all our products meet or exceed J.I.C./S.A.E. specifications and *Brennan is the product identification and traceability innovator within the industry.*

Brennan's international reputation for excellence has contributed to our rapid growth. Despite this growth we remain a family owned business making sure our *customers still receive personal attention* by our experienced sales and customer service representatives.

Be sure to visit us online at brennaninc.com or call toll-free at 888-331-1523.

WE LOOK FORWARD TO HEARING FROM YOU.



[illegible]



With 16 strategically located, full-service distribution centers across North America, Europe and Asia, our goal is to provide your fittings as fast as possible- when and where you need them.



MAKING CONNECTIONS

Brennan supplies customers worldwide with more than 120,000 standard and special hydraulic fittings, adapters and O-rings in sizes ranging from 1/16 to 3 inches. These include a wide choice of fitting and adapter types such as tube, O-ring face seal, instrumentation, metric bite type, push-to-connect, conversion and flareless bite type, as well as valves, clamps and swivels.

Brennan fittings are manufactured to the highest standards, meeting or exceeding J.I.C./S.A.E. and international specifications, with quality control certifications including DIN, ISO, ITAR, ASTM, NADCAP and AS9100.

brennaninc.com

CATALOG INFORMATION

The content of this catalogue has been prepared with care, but Brennan Industries, its subsidiaries, and its authorized distributors are not responsible for any inadvertent typographical errors or omissions. The content herein, including, without limitation, product features, specifications, designs, availability, and pricing, is subject to change without notice and is only accurate as of the date of publication. For more current information, please visit our website.

USER RESPONSIBILITY



WARNING: IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS DESCRIBED HEREIN, OR RELATED ITEMS, CAN CAUSE DEATH, PERSONAL INJURY, AND PROPERTY DAMAGE.

This catalogue, and other content from Brennan Industries, its subsidiaries, and its authorized distributors, provides product options for further investigation by users having technical expertise.

The user, through their own analysis and testing, is solely responsible for making the final selection of the product and ensuring all applicable performance, endurance, maintenance, safety, and warning requirements are met. The user must analyze all aspects of the application, follow applicable industry standards, and read, understand, and follow the content in this catalogue and any other content provided by Brennan Industries, its subsidiaries, and its authorized distributors.

To the extent Brennan Industries, its subsidiaries, and its authorized distributors provide product options based upon data or specifications provided by the user, the user is responsible for determining that such data and specifications are suitable and sufficient for all applications and reasonably foreseeable uses of the products. In the event the buyer is not the end-user, the buyer will ensure such end-user is made aware of and complies with these responsibilities.

PRODUCT COMPLIANCE

The buyer agrees to comply with all applicable laws, regulations, and industry/professional standards in the country or countries where it may operate. The buyer agrees to indemnify, defend, and hold harmless Brennan Industries, its subsidiaries, and its authorized distributors from the consequences of any violation of such laws, regulations, and standards by the buyer, its employees, or agents. The buyer further represents and agrees it will not receive, use, service, transfer, or ship any product from Brennan Industries, its subsidiaries, and its authorized distributors in a manner or for a purpose that violates trade laws or would cause Brennan Industries, its subsidiaries, and its authorized distributors to be in violation of trade laws.

California Proposition 65: California Proposition 65 requires businesses to provide warnings to California consumers about exposures to chemicals that cause cancer or birth defects and other reproductive harm. The required warnings are as follows:



WARNING: Certain products in this catalog can expose you to chemicals which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



WARNING: Certain products in this catalog can expose you to chemicals which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

If you have any questions about whether any product is subject to California Proposition 65 warning requirements, please visit our website with reference to that product. For further information regarding Proposition 65, please visit www.P65Warnings.ca.gov or www.oehha.ca.gov.

US DISTRIBUTION CENTERS

ATLANTA TOLL FREE: 800.458.1988
FAX: 770.987.0926

CLEVELAND TOLL FREE: 800.331.1523
FAX: 440.248.9375

DALLAS TOLL FREE: 800.443.9937
FAX: 972.660.6638

HOUSTON TOLL FREE: 800.443.9937
FAX: 713.808.9477

LOS ANGELES TOLL FREE: 800.942.5321
FAX: 949.595.0933

SEATTLE TOLL FREE: 800.445.7107
FAX: 253.826.4884

CANADIAN DISTRIBUTION CENTERS

CALGARY TOLL FREE: 844.379.9300
FAX: 403.279.4583

MONTREAL PHONE: 514.339.1139
FAX: 514.339.2601

TORONTO TOLL FREE: 855.267.9013
FAX: 905.673.8788

VANCOUVER PHONE: 604.420.6540
FAX: 604.420.6545

WINNIPEG PHONE: 204.694.8068
FAX: 204.694.8113

INT'L DISTRIBUTION CENTERS

BIRMINGHAM, UK PHONE: 01922 650039
FAX: 01922 626179

SHANGHAI, CN PHONE: +86 21 57391155
FAX: 86 21 57390688

QUERETARO, MX PHONE: +52 442 388 5035



CORPORATE HEADQUARTERS
6701 COCHRAN ROAD
OLON, OHIO 44139 USA

DOMESTIC MANUFACTURING
26420 CENTURY CORNERS PARKWAY
CLEVELAND, OHIO 44132 USA

PHONE: 440.248.1880
TOLL FREE: 888.331.1523
FAX: 440.248.7282

CANADIAN MANUFACTURING
290 COURTNEYPARK DRIVE EAST
MISSISSAUGA, ON - L5T 2S5

CHINA MANUFACTURING
NO. 99, WANCHUN ROAD,
LANGXIA TOWN, JINSHAN DISTRICT, SHANGHAI, CHINA

UK MANUFACTURING
WIGWAM LANE
HUCKNALL NOTTINGHAM NG15 7SZ, UK



brennaninc.com

© 2025 Brennan Industries, Inc.