


Modular Sequence Valves

(F3)DGR-01-*2-52

 ØService all units with
 F3 Seal Kit 919896


•Not available for sale.

Note

When two or more modules are assembled together, this module must be mounted next to the subplate or mounting surface to accommodate the external drain ("Y" port).

Model	Cover	Plunger	Spool	Spring
DGR-01-A2-52	581732	593890	340287	343087
DGR-01-B2-52				343088
DGR-01-D2-52				343089
DGR-01-F2-52	581731	593891	340288	
DGR-01-X2-52	581732	——		343087
DGR-01-Y2-52				343088
DGR-01-Z2-52				343089

Model Code



1 Seals F3 - Seals for mineral oil and fire resistant fluids	3 Size 01 - 1/8 inch	5 Module Action (Directly operated externally drained)
2 Model Series DGR - Directional control, manifold or subplate mounted sequence module	4 Pressure Range A - 80-250 psi B - 125-500 psi D - 250-1000 psi F - 475-2000 psi X - 10-30 psi Y - 30-60 psi Z - 60-125 psi	6 Design

For satisfactory service life of these components, use full flow filtration to provide fluid which meets ISO cleanliness code 20/18/15 or cleaner.

Products we offer:

- Cartridge valves
- DCV directional control valves
- Electric converters
- Electric machines
- Electric motors
- Gear motors
- Gear pumps
- Hydraulic integrated circuits (HICs)
- Hydrostatic motors
- Hydrostatic pumps
- Orbital motors
- PLUS+1[®] controllers
- PLUS+1[®] displays
- PLUS+1[®] joysticks and pedals
- PLUS+1[®] operator interfaces
- PLUS+1[®] sensors
- PLUS+1[®] software
- PLUS+1[®] software services, support and training
- Position controls and sensors
- PVG proportional valves
- Steering components and systems
- Telematics

Hydro-Gear

www.hydro-gear.com

Daikin-Sauer-Danfoss

www.daikin-sauer-danfoss.com

Danfoss Power Solutions is a global manufacturer and supplier of high-quality hydraulic and electric components. We specialize in providing state-of-the-art technology and solutions that excel in the harsh operating conditions of the mobile off-highway market as well as the marine sector. Building on our extensive applications expertise, we work closely with you to ensure exceptional performance for a broad range of applications. We help you and other customers around the world speed up system development, reduce costs and bring vehicles and vessels to market faster.

Danfoss Power Solutions – your strongest partner in mobile hydraulics and mobile electrification.

Go to www.danfoss.com for further product information.

We offer you expert worldwide support for ensuring the best possible solutions for outstanding performance. And with an extensive network of Global Service Partners, we also provide you with comprehensive global service for all of our components.

Local address:

**Danfoss
Power Solutions (US) Company**
2800 East 13th Street
Ames, IA 50010, USA
Phone: +1 515 239 6000

**Danfoss
Power Solutions GmbH & Co. OHG**
Krokamp 35
D-24539 Neumünster, Germany
Phone: +49 4321 871 0

**Danfoss
Power Solutions ApS**
Nordborgvej 81
DK-6430 Nordborg, Denmark
Phone: +45 7488 2222

**Danfoss
Power Solutions Trading
(Shanghai) Co., Ltd.**
Building #22, No. 1000 Jin Hai Rd
Jin Qiao, Pudong New District
Shanghai, China 201206
Phone: +86 21 2080 6201