


Vickers® by Danfoss

Directional Controls



Directional Valve Spools

Service Parts Information



Contents

D1L-21 Design and Mod-30/31 Designs

Type 0	327931.....	4
Type 2	327934.....	4
Type 2	324889.....	4
Type 6	327932.....	4

DG4S2/4-01*-50/51 Designs

Type 0	213230.....	4
Type 1	276278.....	5
Type 2	289186.....	5
.....	220344.....	5

DG4S2-01**W-50/-51 Design

Type 0	463385.....	5
.....	587970.....	5
Type 0A	572287.....	5
Type 1	463386.....	6
Type 2	463387.....	6
.....	587971.....	6
Type 2A	463426.....	6
.....	573396.....	6
Type 2N	463393.....	6
Type 3	463388.....	7
Type 6	463389.....	7
Type 6A	572288.....	7
Type 7	463390.....	7
.....	587973.....	7
Type 8	463391.....	8
Type 33	463392.....	8
.....	587974.....	8

DG4S4-01*-50/-51 Design

Type 2	213231.....	8
Type 3	239903.....	8
Type 6/68	213232.....	9
Type 7	236624.....	9
Type 8	235637.....	9
Type 33	236615.....	9

DG4V4-01-10

Type 0	691401.....	10
Type 1,11	691404.....	10
Type 2	691400.....	10
Type 3, 31	691403.....	10
Type 6	691402.....	11
Type 7	691405.....	11
Type 8	691412.....	11
Type 22	691411.....	11
Type 33	691407.....	11

DG4V3-40 / DG18V-40 Design

Type 0A	989594.....	12
Type 0N	989598.....	12
Type 1/11 B/C/F ...	683314	12
Type 2B/C/F	631611.....	12
Type 2N	635340.....	13
Type 3/31 B/C/F ...	989593	13
Type 6A	989595.....	13
Type 6/68 B/C/F ...	631603	13
Type 6/68N	989599.....	14
Type 7A	989596.....	14
Type 7/78 B/C/F ...	989592	14
Type 22A	989649.....	14
Type 33 B/C/F	635339.....	14

DG4V-3(S)-60 Design/Soft Shift

Type 0B/C	02-148720.....	15
Type 2A	892916.....	15
Type 2B/C	892913.....	15
Type 3/31/C	927027.....	15
Type 6B	892914.....	16
Type 8	02-303660.....	16
Type 8	893319.....	16
Type 33C	892915.....	16

DG4V3-60, DG18V-3-60

Type 0A	617498.....	16
Type 0B/C	617121.....	17
Type 1/11	458263.....	17
Type 2A	617120.....	17
Type 2B/C/F	617118.....	17
Type 2N	617126.....	17
Type 3,31 B/C/F ..	617124	18
Type 6A	890188.....	18
Type 6B/C/F	617119.....	18
Type 6N	617341.....	18
Type 7A	458151.....	18
Type 7B	617125.....	19
Type 8B/C	458950.....	19
Type 22A	617122.....	19
Type 33B/C	617123.....	19

DG3-20/-31, MOD-30/-31 Design,

DG5S4-04-10 60/70 Design

Type 0	250333.....	20
.....	399891.....	20
Type 1/11	431972.....	20
Type 2	250334.....	20
.....	413482.....	20
.....	399892.....	20
Type 3	399893.....	20
Type 4	413481.....	21
Type 6	399894.....	21
Type 8	399896.....	21
Type 9	413483.....	21
Type 33	399897.....	21

DG3V3-40 Design

Type 2C	587127.....	22
Type 2N	681614.....	22
Type 6C	587130.....	22
Type 6N	681615.....	22

DG3V3-60 Design



Type 0	694435.....	22
Type 0A	694537.....	23
Type 2A	698839.....	23
Type 2N	698842.....	23
Type 6	694437.....	23

DG3S4, DG5S4-60/70 Design, DG19S4-50/-51 Design, DG5S8-10/30/40 Design			DG17/20V-3-40		
Type 0	363495.....	23	Type 0C/N	683222.....	34
Type 1/11	276623.....	24		683219.....	34
.....	276624.....	24	Type 2C/N	683223.....	34
.....	431972.....	24		989729.....	34
Type 2	363496.....	24	Type 6C/N	683224.....	34
Type 3/31	276625.....	24		989730.....	34
Type 4	276626.....	25	Type 7N	683220.....	34
Type 6	363498.....	25	Type 33C/N	683225.....	34
Type 8	363499.....	25		683221.....	34
Type 9	363500.....	25	DG17V-3-60		
Type 33	363501.....	25	Type 0	893025.....	35
DG5S-H8 (High Flow) -20 Design 4-way Valve			Type 2C	893026.....	35
Type 0	273677.....	26	Type 6C	893027.....	35
Type 2	273676.....	26	Type 8	893029.....	35
Type 3	275803.....	26	Type 22A	893035.....	35
Type 4	273720.....	26	Type 33C	893030.....	36
Type 6	275804.....	27	DG20V-3-60		
Type 8	275805.....	27	Type 2	916622.....	36
Type 9	275806.....	27	Type 6	916623.....	36
Type 33	317777.....	27	DG17S4-06-50 & DG17S-8-**-10 Design 4-way Valves		
DG3S4, DG5S & DG19S4-50/-51/-90/-100/ Design & DG5S8-10 Design 4-way Valves			Type 0	281922.....	36
Type 0	364037.....	28	Type 2	281924.....	37
Type 1	331404.....	28	Type 4	281926.....	37
Type 2	277478.....	28	Type 6	281927.....	37
.....	364038.....	28	Type 8	281929.....	37
Type 3	277479.....	28	DG17S4-53/-100 Design 4-way Valves		
Type 4	281193.....	29	Type 0	282281.....	37
Type 6	364039.....	29	Type 2	282287.....	38
Type 8	281194.....	29	Type 4	282286.....	38
Type 9	277563.....	29	Type 6	282283.....	38
Type 33	364042.....	29	Type 8	282339.....	38
DG5S4-10 60/70 Design			Type 33	282285.....	38
Type 0	399891.....	30	DG3V8, DG5V8-10 Design, DG2S		
Type 1/11	431972.....	30	Type 0	02-324575.....	39
Type 2	399892.....	30	Type 2	02-324577.....	39
Type 4	413481.....	30	Type 4	02-324579.....	39
Type 6	399894.....	30	Type 6	02-324580.....	39
Type 8	399896.....	31	Type 8	02-324582.....	39
Type 9	413483.....	31	Type 9	02-324583.....	40
Type 33	399897.....	31	Type 33	02-324584.....	40
DG3S, DG5S-H8 (High Flow) 4-way Valve 20/60/70 Design			DG3V10, DG5V10-10 Design		
Type 0	786350.....	31	Type 2	02-317237.....	40
Type 1/11	786557.....	32	Type 3/31	02-317227.....	40
Type 2	786349.....	32	Type 4	02-317231.....	41
Type 3/31	786558.....	32	Type 6	02-317238.....	41
Type 4	628162.....	32	Type 8	02-317233.....	41
Type 6	786559.....	33	Type 33	02-317234.....	41
Type 8	627221.....	33			
Type 9	786561.....	33			
Type 33	786562.....	33			


D1L-21 DESIGN and MOD-30/31 DESIGNS

mm (inch)


Type 0 Spring Centered/Detent
Open Center
P/N 327931




Type 2 Spring Offset
Closed Center
P/N 327934




Note
This spool used in pilot
stage of MOD-04*A and
DG5S4-04*A




Type 2 Spring Centered/Detent
Closed Center
P/N 324889




Note
This spool used in pilot
stage of MOD-04* (No
Spring) and MOD-04*N
(Detent)



Type 6 Spring Centered
A & B to Tank, P Closed
P/N 327932





Note
This spool used in pilot
stage of MOD-04*C and
DG5S4-04*C



DG4S2/4-01*-50/51 DESIGNS



Type 0 Spring Centered/Offset for 50 Design
Detented for 51 Design
Open Center
P/N 213230





DG4S2/4-01*-50/51 DESIGN

mm (inch)


Type 1 Spring Centered for 50 Design
P&A to Tank, B Blocked
(Relieved Land Toward 'A' Port)
P/N 276278



Type 2 Spring Centered/Detent
51 Design
P/N 289186





Spring Offset 50 Design
P/N 220344




DG4S2-01**W-50/-51 DESIGNS


Type 0 Spring Centered for 50 Design
Detented for 51 Design
Open Center
P/N 463385 Spring Centered
P/N 587970 Detent (End Polished)



Type 0A Spring Offset 50 Design
Open Center
P/N 572287





Toward
"A"
Port





mm (inch)


Type 1 Spring Centered 50 Design
Open Center, P Open to A & Tank, B Blocked
P/N 463386



Type 2 Spring Centered for 50 Design
Detented for 51 Design
Closed Center
P/N 463387 Spring Centered
P/N 587971 Detent (End Polished)





Type 2A Spring Offset 50 Design
Closed Center




P/N 463426

Toward
"A"
Port





P/N 573396

Toward
"A"
Port




Type 2N Detent For 51 Design
P/N 463393




mm (inch)



Type 3 Spring Centered 50 Design
A Open to Tank, P & B Blocked
P/N 463388





Toward
"A"
Port





Type 6 Spring Centered for 50 Design
A & B Open to Tank, P Blocked
P/N 463389 Spring Centered



Type 6A Spring Offset 50 Design
A & B Open to Tank, P Blocked
P/N 572288





Type 7 Spring Centered for 50 Design
Detented for 51 Design
P Open to A & B, Tank Blocked
P/N 463390 Spring Centered
P/N 587973 Detent (End Polished)





DG4S2-01**W-50/-51 DESIGNS

mm (inch)

Type 8 Spring Centered 50 Design
Tandem Open Center, Crossover P to Tank,
A & B Blocked
P/N 463391




Type 33 Spring Centered for 50 Design
Detented for 51 Design
Controlled Leakage From A & B to Tank, P Blocked
P/N 463392 Spring Centered
P/N 587974 Detent (End Polished)




DG4S4-01*-50/-51 DESIGNS



Type 2 Spring Centered/Offset for 50 Design
Detented for 51 Design
Closed Center
P/N 213231



Note
This spool used in pilot stage of
DG/DF5S4-**-A*-50/-51 & DG/
DF5S4-**-N* & DG5S-8-**-N*-10




Type 3 Spring Centered For 50 Design
P & B Blocked, A to Tank
(Narrow Land Toward 'A' Port)
P/N 239903




DG4S4-01*-50/-51 DESIGNS

mm (inch)


Type 6 Spring Centered/Offset for 50 Design
Detented for 51 Design
Type 68 Spring Centered with 4 or 8 Type Main Stage Spools
A & B to Tank, P Blocked
P/N 213232




Note
This spool used in pilot stage of
DG/DF5S4-**C*-50/-51/-53 &
DG5S-8-H8-10





Type 7 Spring Centered for 50 Design
Detented for 51 Design
A & B to P, Tank Blocked
P/N 236624





Note
This spool used in pilot stage of
DG5S4-**D*-50/-51



Type 8 Spring Centered for 50 Design
Tandem with Open Center Crossover
P/N 235637





Type 33 Spring Centered for 50 Design
Detented for 51 Design
Controlled Leakage From A & B to Tank, P Blocked
P/N 236615




mm (inch)

Type 0A/B/C/N
Open Center
P/N 691401




Type 1, 11
Open Center, P to A & Tank, B Blocked/
P to B & Tank, A Blocked
P/N 691404



Type 1





Type 11



Type 2A/B/C/N
Closed Center, All Ports
P/N 691400





Type 3, 31
Open Center, P and B Blocked, A to Tank/
Closed Center, P & A Blocked, B to Tank
P/N 691403





DG4V4-01 -10 DESIGN

mm (inch)



Type 6
Closed Center, A & B to Tank,
P Blocked
P/N 691402





Type 7
Open Center, P to A & B, Tank Blocked
P/N 691405





Type 8
Tandem Center, P to Tank, Open Crossover
P/N 691412



Type 22
Closed Center, Two-Way
P/N 691411





Type 33
Closed Center, Bleed A & B to Tank
P/N 691407





DG4V3-40/DG18V-40 DESIGN

mm (inch)



Type 0A Spring Offset
Open Center
P/N 989594





Type 0N Detent
Open Center
P/N 989598



Type 1/11 B/C/F Spring Centered
P to A&Tank, B Blocked
P/N 683314





Type 2B/C/F Spring Centered
Closed Center
631611





DG4V3-40/DG18V-40 DESIGN

mm (inch)



Type 2N Detent
Closed Center
635340





Type 3/31 B/C/F Spring Centered
P&B Blocked, A to Tank
989593



Type 6A Spring Offset
A & B to Tank, P Blocked
P/N 989595





Type 6/68 B/C/F Spring Centered
A & B to Tank, P Blocked
P/N 631603





DG4V3-40/DG18V-40 DESIGN

mm (inch)



Type 6/68N Detent
A & B to Tank, P Blocked
P/N 989599





Type 7A Spring Offset
P to A & B, Tank Blocked
989596





Type 7/78 B/C/F Spring Centered
P to A & B, Tank Blocked
P/N 989592



Type 22A Spring Offset
P Open to A, B & T Blocked
P/N 989649





Type 33 B/C/F Spring Centered
Controlled Leakage from A & B to Tank,
P Blocked
P/N 635339





DG4V-3(S) -60 DESIGN

mm (inch)



Type 0B/C Spring Centered
Open Center
P/N 02-148720





Type 2A Spring Offset
Closed Center
P/N 892916



Type 2C
Closed Center
P/N 892913





Type 3/31C
Center Condition - Closed
P/N 927027




DG4V-3(S) -60/61 DESIGNS

mm (inch)


Type 6C Spring Centered
Closed Center, A & B to Tank,
P Closed
P/N 892914



Type 8 Spring Centered for 61 Design
Tandem Open Center, Crossover P to Tank,
A & B Blocked





P/N 02-303660





P/N 893319

Type 33B/C Spring Centered
Bleed Center, A & B to Tank, P Closed
P/N 892915



DG4V3-60/DG18V3-60 DESIGN



Type 0A
Open Center
P/N 617498





DG4V3-60/DG18V3-60 DESIGN

mm (inch)



Type 0B/C
Open Center
P/N 617121



Type 1,11
Open Center, P&A to Tank, B Blocked
P/N 458263





Type 2A
Closed Center
P/N 617120





DG4V3-60/DG18V3-60 DESIGN

Type 2B/C/F
Closed Center
P/N 617118





Type 2N
Open Center
P/N 617126





DG4V3-60/DG18V3-60 DESIGN

mm (inch)



Type 3/31B/C/F
Closed Center, A to Tank, P & B Blocked
P/N 617124





Type 6A
Closed Center with Crossover
P/N 890188





Type 6B/C/F
Closed Center, P Only
P/N 617119



Type 6N
Closed Center, P Only
P/N 617341





Type 7A
Open Center, P to A & B, Tank Blocked
P/N 458151





DG4V3-60/DG18V3-60 DESIGN

mm (inch)



Type 7B
Open Center, P to A & B, Tank Blocked
P/N 617125





Type 8B/C
Tandem Center, P to Tank
P/N 458950



Type 22A
Closed Center, Two-Way
P/N 617122




Type 33B/C
Closed Center, (Bleed A & B)
P/N 617123




DG3 -20/-31, MOD -30/-31 DESIGNS

Type 0 Open Center





P/N 250333 (-20 & -30 Design)


P/N 399891 (-31 Design)



Type 1/11 P&A to Tank, B Blocked P/N 431972




Type 2 Closed Center





P/N 250334 (-20 & -30 Design)
Spring Centered/Offset

P/N 413482(-31 Design)
Spring Offset

P/N 399892 (-31 Design)
Spring Centered





Type 3 A Open to Tank, P&B Blocked P/N 388893





mm (inch)



Type 4
Tandem with Closed Center Crossover
P/N 413481





Type 6
A&B to Tank, P Blocked
P/N 399894





Type 8
Tandem with Open Center Crossover
P/N 399896



Type 9
Open over Tapers
P/N 413483





Type 33
Controlled Leakage from
A&B to Tank, P Blocked
P/N 399897





DG3V3 -40 DESIGN

mm (inch)



Type 2C Spring Centered
Closed Center
P/N 587127





Type 2N Detent
Closed Center
P/N 681614



Type 6C Spring Centered
A&B to Tank, P Blocked
P/N 587130





Type 6N Detent
A&B to Tank, P Blocked
P/N 681615



DG3V3 -60 DESIGN



Type 0 Spring Centered, Spring Offset
Open Center
P/N 694435





DG3V3 -60 DESIGN

mm (inch)



Type 0A Spring Centered
Open Center
P/N 694537





Type 2A Spring Centered
Open Center
P/N 698839



Type 2N No-Spring Detented
Open Center
P/N 698842





Type 6 Spring Centered
A & B to Tank, P Blocked
P/N 694437





DG3S4, DG5S4, DG19S4 -50/-51 DESIGNS & DG5S8 -10/30/40 DESIGNS

Type 0
Fully Open
P/N 363495





mm (inch)



Type 1
P & A to Tank, B Blocked
P/N 276623





Type 1
Closed Center
P/N 276624




Type 1, 11
Open Center, P & A to Tank, B Blocked
P/N 431972




Type 2
Closed Center
P/N 363496



Type 3 & 31
A Open to Tank, P & B Blocked
P/N 276625





3 Toward "A" Port
31 Toward "B" Port





DG3S4, DG5S4, DG19S4 -50/-51 DESIGNS & DG5S8 -10/30/40 DESIGNS

mm (inch)



Type 4
Tandem with Closed Center Crossover
P/N 276626





Type 6
A & B to Tank, P Blocked
P/N 363498





Type 8
Tandem with Open Center Crossover
P/N 363499



Type 9
Open Over Tapers
P/N 363500





Type 33
Controlled Leakage from A & B to Tank,
P Blocked
P/N 363501





DG5S-H8 (HIGH FLOW) -20 DESIGN SERIES FOUR-WAY VALVE

mm (inch)



Type 0
Fully Open
P/N 273677





Type 2
Closed Center
P/N 273676



Type 3
A Open to Tank, P&B Blocked
P/N 275803



Type 4
Tandem with Closed Center Crossover
P/N 273720





DG55-H8 (HIGH FLOW) -20 DESIGN SERIES FOUR-WAY VALVE

mm (inch)

Type 6

A&B Open to Tank, P Blocked



P/N 275804



Type 8

Tandem with Open Center Crossover



P/N 275805



Type 9

Open over Tapers

P/N 275806





Type 33

Controlled Leakage from A & B to Tank,

P Blocked



P/N 317777





DG3S4, DG5S4, DG19S4 -50/-51/-90/-100 DESIGNS & DG5S8 -10 DESIGN

mm (inch)


Type 0
Fully Open
P/N 364037



Type 1
P & A to Tank, B Blocked
P/N 331404




Type 2
Closed Center





277478 -51 Design
DG3 Spring Offset
& -50 Design

364038 (-51,
-90/-100 Design)





Type 3
A Open to Tank, P & B Blocked
P/N 277479




DG3S4, DG5S4, DG19S4 -50/-51/-90/-100 DESIGNS & DG5S8 -10 DESIGN

mm (inch)


Type 4
Tandem with Closed Center Crossover
P/N 281193




Type 6
A&B Open to Tank, P Blocked




364039
(-51, -90/
-100 Design)





Type 8
Tandem with Open Center Crossover





281194
(-50 Design)



Type 9
Open over Tapers
P/N 277563





Type 33
Controlled Leakage from A & B to Tank,
P Blocked
P/N 364042





DG5S4-10 60/70 DESIGNS

mm (inch)



Type 0
Center Condition - Fully Open
P/N 399891





Type 1/11
Center Condition - P & A to Tank,
B Blocked
P/N 431972





Type 2
Closed Center
P/N 399892



Type 4
Tandem with Closed Center Crossover
P/N 413481





Type 6
Open Center, P Blocked, A & B Open to Tank
P/N 399894





DG5S4-10 -60/70 DESIGN

mm (inch)



Type 8
Tandem with Open Center Crossover
P/N 399896



Type 9
Open Over Tapers
P/N 413483





Type 33
Controlled Leakage from A & B to Tank,
P Blocked
P/N 399897



DG3S, DG5S-H8 (HIGH FLOW) FOUR WAY VALVE 20/60/70 DESIGN

Type 0
Open Center
P/N 786350




DG3S, DG5S-H8 (HIGH FLOW) FOUR WAY VALVE 20/60/70 DESIGNS


mm (inch)

Type 1
P & A to Tank, B Blocked



Type 11
P & B to Tank, A Blocked
P/N 786557



Toward
"B"
Port




Type 2
Closed Center
P/N 786349




Type 3
A Open to Tank, P & B Blocked



Type 31
P Open to B, A & Tank Blocked
P/N 786558



3 Toward "B" Port
31 Toward "A" Port





Type 4
Tandem with Closed Center Crossover
P/N 628162





DG3S, DG5S-H8 (HIGH FLOW) FOUR WAY VALVE 20/60/70 DESIGNS

mm (inch)



Type 6
A & B Open to Tank, P Blocked
P/N 786559





Type 8
Tandem with Open Center Crossover
P/N 627221



Type 9
Open Over Tapers
P/N 786561




Type 33
Controlled Leakage from A & B to Tank,
P Blocked
P/N 786562




DG17/20V-3 -40 DESIGN

mm (inch)


Type 0C/N Spring Centered/Detent
Fully Open
P/N 683222 (0C Spring Centered)
P/N 683219 (0N Detent)




Detent Models
Only




Type 2C/N Spring Centered/Detent
Closed Center
P/N 683223 (2C Spring Centered)
P/N 989729 (2N Detent)




Detent Models
Only




Type 6C/N Spring Centered/Detent
A&B Open to Tank, P Blocked
P/N 683224 (6C Spring Centered)
P/N 989730 (6N Detent)




Detent Models
Only




Type 7N Detent
P to A & B, Tank Blocked
P/N 683220




Detent
Models
Only



Type 33C/N Spring Centered/Detent
Controlled Leakage from A & B to T,
P Blocked
P/N 683225 (33C Spring Centered)
P/N 683221





Detent Models
Only





DG17V3 -60 DESIGN

mm (inch)



Type 0C
Open Center
P/N 893025





Type 2C
Closed Center
P/N 893026





Type 6C
Closed Center, A & B to Tank
P/N 893027



Type 8
Tandem Center, P to T
P/N 893029





Type 22A
Closed Center, 2-Way
P/N 893035



DG17V3 -60 DESIGN



mm (inch)

Type 33C
Closed Center, Bleed to Tank
P/N 893030





DG20V3 -60 DESIGN

Type 2
Closed Center, All Ports
P/N 916622





Type 6
Open Center, P Closed, A & B to Tank
P/N 916623





DG17S4-06-50 & DG17S-8-**-10



Type 0
Open Center
P/N 281922





Type 2
Closed Center
281924





Type 4
Tandem with Closed Center Crossover
P/N 281926



Type 6
A & B Open to Tank, P Blocked
P/N 281927





Type 8
Tandem with Open Center Crossover
P/N 281929





DG17S4-53/-100 DESIGNS

Type 0
Center Condition - Open
P/N 282281





mm (inch)



Type 2
Center Condition - Closed
P/N 282287





Type 4
Tandem with Closed Center Crossover
P/N 282286





Type 6
A&B Open to T, P Blocked
P/N 282283



Type 8
Tandem with Open Center Crossover
P/N 282339





Type 33
Controlled Leakage from A&B to T,
P Blocked
P/N 282285





DG3V8/DG5V8 -10 DESIGN

mm (inch)



Type 0
Open Center
P/N 02-324575





Type 2
Closed Center
P/N 02-324577





Type 4
Tandem Center, Closed Crossover
P/N 02-324579



Type 6
Closed Center, P Only
P/N 02-324580





Type 8
Tandem Center, Open Crossover
P/N 02-324582





DG3V8/DG5V8 -10 DESIGN

mm (inch)

Type 9
Open Center (Partial All Ports)
P/N 02-324583





Type 33
A & B Open to Tank over Tapers,
P Blocked
P/N 02-324584




DG3V10/DG5V10 -10 DESIGN



Type 2
Closed Center
P/N 02-317237



Type 3
A Open to Tank, P & B Blocked
P/N 02-317227





Type 31
B Open to Tank, P&A Blocked





DG3V10/DG5V10 -10 DESIGN

mm (inch)



Type 4
P to Tank, A & B Blocked
Closed Crossover
P/N 02-317231





Type 6
Closed Center (P Only)
P/N 02-317238



Type 8
P Open to Tank, A & B Blocked
P/N 02-317233



Type 33
Closed Center, Bleed A & B
P/N 02-317234



Products we offer:

- Cartridge valves
- DCV directional control valves
- Electric converters
- Electric machines
- Electric motors
- Gear motors
- Gear pumps
- Hydraulic integrated circuits (HICs)
- Hydrostatic motors
- Hydrostatic pumps
- Orbital motors
- PLUS+1® controllers
- PLUS+1® displays
- PLUS+1® joysticks and pedals
- PLUS+1® operator interfaces
- PLUS+1® sensors
- PLUS+1® software
- PLUS+1® software services, support and training
- Position controls and sensors
- PVG proportional valves
- Steering components and systems
- Telematics

Hydro-Gear

www.hydro-gear.com

Daikin-Sauer-Danfoss

www.daikin-sauer-danfoss.com

Danfoss Power Solutions is a global manufacturer and supplier of high-quality hydraulic and electric components. We specialize in providing state-of-the-art technology and solutions that excel in the harsh operating conditions of the mobile off-highway market as well as the marine sector. Building on our extensive applications expertise, we work closely with you to ensure exceptional performance for a broad range of applications. We help you and other customers around the world speed up system development, reduce costs and bring vehicles and vessels to market faster.

Danfoss Power Solutions – your strongest partner in mobile hydraulics and mobile electrification.

Go to www.danfoss.com for further product information.

We offer you expert worldwide support for ensuring the best possible solutions for outstanding performance. And with an extensive network of Global Service Partners, we also provide you with comprehensive global service for all of our components.

Local address:

**Danfoss
Power Solutions (US) Company**
2800 East 13th Street
Ames, IA 50010, USA
Phone: +1 515 239 6000

**Danfoss
Power Solutions GmbH & Co. OHG**
Krokamp 35
D-24539 Neumünster, Germany
Phone: +49 4321 871 0

**Danfoss
Power Solutions ApS**
Nordborgvej 81
DK-6430 Nordborg, Denmark
Phone: +45 7488 2222

**Danfoss
Power Solutions Trading
(Shanghai) Co., Ltd.**
Building #22, No. 1000 Jin Hai Rd
Jin Qiao, Pudong New District
Shanghai, China 201206
Phone: +86 21 2080 6201

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.