





Pressure Reducing Valves

X(C)S - 10 - ** - 30

X(C)T - 10 - ** - 30



◆ Not available for sale.

● Used on model XC* only.


NOTE

Install lockscrew W/Stepped O. D. end toward spacer or plunger as shown.

Model	Inner Spring	Cover spring	Spacer	Pressure range P.S.I.	Rated flow USGPM
X(C)*-10-1B-30	—	2280	—	100-1000	25
				165-1000	50
X(C)*-10-1F-30	428961			225-1000	75
X(C)*-10-2B-30	—	583937	—	100-2000	25
				165-2000	50
X(C)*-10-2F-30	428961			225-2000	75
X(C)*-10-3F-30		401700	386715	225-2850	75

Model Code

(F3) - X(C) * - 10 - * * -30



1 Seals

F3 - Seals for mineral oil and fire resistant fluids

4 Threaded Connections

S - 1.0625-12UN-2B Thd.
T - 1-1/4 inch NPTF Thd.

7 Maximum Rated Flow Capacity

B - 50 USgpm
F - 75 USgpm

2 Model Series

X - Pressure reducing valve

5 Nominal Valve Size

10 - 1-1/4 inch

8 Design

3 Integral Check Valve

Omitted - No check valve

6 Maximum Adjustable Pressure

1 - 1000 PSI
2 - 2000 PSI
3 - 2850 PSI

For satisfactory service life of these components, use full flow filtration to provide fluid which meets ISO cleanliness code 18/15 or cleaner. Selections from Danfoss OFP, OFR and OFRS filter series are recommended.

Products we offer:

- Cartridge valves
- DCV directional control valves
- Electric converters
- Electric machines
- Electric motors
- Gear motors
- Gear pumps
- Hydraulic integrated circuits (HICs)
- Hydrostatic motors
- Hydrostatic pumps
- Orbital motors
- PLUS+1® controllers
- PLUS+1® displays
- PLUS+1® joysticks and pedals
- PLUS+1® operator interfaces
- PLUS+1® sensors
- PLUS+1® software
- PLUS+1® software services, support and training
- Position controls and sensors
- PVG proportional valves
- Steering components and systems
- Telematics

Hydro-Gear

www.hydro-gear.com

Daikin-Sauer-Danfoss

www.daikin-sauer-danfoss.com

Danfoss Power Solutions is a global manufacturer and supplier of high-quality hydraulic and electric components. We specialize in providing state-of-the-art technology and solutions that excel in the harsh operating conditions of the mobile off-highway market as well as the marine sector. Building on our extensive applications expertise, we work closely with you to ensure exceptional performance for a broad range of applications. We help you and other customers around the world speed up system development, reduce costs and bring vehicles and vessels to market faster.

Danfoss Power Solutions – your strongest partner in mobile hydraulics and mobile electrification.

Go to www.danfoss.com for further product information.

We offer you expert worldwide support for ensuring the best possible solutions for outstanding performance. And with an extensive network of Global Service Partners, we also provide you with comprehensive global service for all of our components.

Local address:

**Danfoss
Power Solutions (US) Company**
2800 East 13th Street
Ames, IA 50010, USA
Phone: +1 515 239 6000

**Danfoss
Power Solutions GmbH & Co. OHG**
Krokamp 35
D-24539 Neumünster, Germany
Phone: +49 4321 871 0

**Danfoss
Power Solutions ApS**
Nordborgvej 81
DK-6430 Nordborg, Denmark
Phone: +45 7488 2222

**Danfoss
Power Solutions Trading
(Shanghai) Co., Ltd.**
Building #22, No. 1000 Jin Hai Rd
Jin Qiao, Pudong New District
Shanghai, China 201206
Phone: +86 21 2080 6201

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.