

Check Valves

AX456357778789en-000101




Pilot Operated Check Valve

4CT-06-(D)*-21

4CS-06-(D)*-21


4CG-06-(D)*-21

Model	Spring	Pressure PSI	Check- Valve	Guide/ Poppet
4C*-06-A-21	354636	30	359859	359860
4C*-06-DA-21			342366	354644
4C*-06-B-21	386660	50	359859	359860
4C*-06-DB-21			342366	354644
4C*-06-C-21	388352	75	359859	359860
4C*-06-DC-21			342366	354644
4C*-06-F-21	388353	150	359859	388358
4C*-06-DF-21			342366	388359



Model Code

(F3) - 4C * - 06 - (D) * - 21




1 Seals	4 Series	6 Pressure Range
(F3) - Seals for mineral oil and fire resistant fluids	06 - 60	A - 30 PSI B - 50 PSI C - 75 PSI D - 150 PSI
2 Model Series	5 Features	7 Design
4C - Pilot operated check valve	D - Decompression (Omit for no decompression)	
3 Connection		
G - Subplate mounted S - SAE straight thread connection T - NPTF threaded connection		

4CG-06-(D)*-21

▲Service all units with F3 Seal Kit 919675
626507 Body & Seat S/A Includes: 342365 Seat 626508 Body

Model	Spring	Pressure PSI	Check- Valve	Guide/ Poppet
4CG-06-A-21	354636	30	359860	359859
4CG-06-DA-21			354644	342366
4CG-06-B-21	386660	50	359860	359859
4CG-06-DB-21			354644	342366
4CG-06-C-21	388352	75	359860	359859
4CG-06-DC-21			354644	342366
4CG-06-F-21	388353	150	388358	359859
4CG-06-DF-21			388359	342366



For satisfactory service life of these components, use full flow filtration to provide fluid which meets ISO cleanliness code 18/15 or cleaner. Selections from Danfoss OFP, OFR and OFRS filter series are recommended.

Products we offer:

- Cartridge valves
- DCV directional control valves
- Electric converters
- Electric machines
- Electric motors
- Gear motors
- Gear pumps
- Hydraulic integrated circuits (HICs)
- Hydrostatic motors
- Hydrostatic pumps
- Orbital motors
- PLUS+1® controllers
- PLUS+1® displays
- PLUS+1® joysticks and pedals
- PLUS+1® operator interfaces
- PLUS+1® sensors
- PLUS+1® software
- PLUS+1® software services, support and training
- Position controls and sensors
- PVG proportional valves
- Steering components and systems
- Telematics

Danfoss Power Solutions is a global manufacturer and supplier of high-quality hydraulic and electric components. We specialize in providing state-of-the-art technology and solutions that excel in the harsh operating conditions of the mobile off-highway market as well as the marine sector. Building on our extensive applications expertise, we work closely with you to ensure exceptional performance for a broad range of applications. We help you and other customers around the world speed up system development, reduce costs and bring vehicles and vessels to market faster.

Danfoss Power Solutions – your strongest partner in mobile hydraulics and mobile electrification.

Go to www.danfoss.com for further product information.

We offer you expert worldwide support for ensuring the best possible solutions for outstanding performance. And with an extensive network of Global Service Partners, we also provide you with comprehensive global service for all of our components.

Local address:

Hydro-Gear

www.hydro-gear.com

Daikin-Sauer-Danfoss

www.daikin-sauer-danfoss.com

**Danfoss
Power Solutions (US) Company**
2800 East 13th Street
Ames, IA 50010, USA
Phone: +1 515 239 6000

**Danfoss
Power Solutions GmbH & Co. OHG**
Krokamp 35
D-24539 Neumünster, Germany
Phone: +49 4321 871 0

**Danfoss
Power Solutions ApS**
Nordborgvej 81
DK-6430 Nordborg, Denmark
Phone: +45 7488 2222

**Danfoss
Power Solutions Trading
(Shanghai) Co., Ltd.**
Building #22, No. 1000 Jin Hai Rd
Jin Qiao, Pudong New District
Shanghai, China 201206
Phone: +86 21 2080 6201

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed.
All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.